

PASSSTÜCKE

SPACER

PTFE- AUSGEKLEIDETE PASSSTÜCKE
DIN 2848 ; DIN 2874

PTFE - LINED SPACERS
DIN 2848 ; DIN 2874

FORM 1
DESIGN 1



FORM 2
DESIGN 2



FORM 3
DESIGN 3



FLANSCHANSCHLUSSMAßE NACH
DIN EN1092-1 DIN 2848

FLANGES IN ACC. TO
DIN EN 1092-1 DIN 2848

PASSSTÜCKE

SPACER


PTFE- AUSGEKLEIDETE PASSSTÜCKE
DIN 2848 ; DIN 2874

PTFE - LINED SPACERS
DIN 2848 ; DIN 2874


FORM 1
DESIGN 1



FORM 2
DESIGN 2



FORM 3
DESIGN 3



FLANSCHANSCHLUSSMAßE NACH
DIN EN1092-1 DIN 2848

FLANGES IN ACC. TO
DIN EN 1092-1 DIN 2848

PASSTÜCKE PN 10

SPACER PN 10

DN	d ₁	d ₄	d ₅	b	Baulänge L / overall length L																
					Form 1 / design 1			Form 2 / design 2								Form 3 / design 3					
					10	15	20	20	25	30	40	50	60	70	80	90	60	70	80	90	100
					Grenzabmaße/ limits										Grenzabmaße/ limits						
15	13	45	50	10	X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
20	16	58	60	12	X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
25	22	68	70		X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
32	31	78	82		X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
40	37	88	92		X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
50	48	102	107	14	X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
65	64	122	127		X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
80	76	138	142	16	X	X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X
100	101	158	162		X	X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X
125	125	188	192	18	X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
150	153	212	218		X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
200	201	268	273	20	X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
250	254	320	328	22	X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
300	303	370	378		X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
350	333	430	438		X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
400	382	482	488		24	X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X
500	480	585	594	26	X	X	X	-	X	X	X	X	X	X	X	-	-	-	-	X	

PASSSTÜCKE PN 25

SPACER PN 25

DN	d ₁	d ₄	d ₅	b	Baulänge L / overall length L																
					Form 1 / design 1			Form 2 / design 2									Form 3 / design 3				
					10	15	20	20	25	30	40	50	60	70	80	90	60	70	80	90	100
					Grenzabmaße / limits									Grenzabmaße / limits							
15																					
20																					
25																					
32																					
40																					
50					PASSSTÜCKE PN 40 VERWENDEN/ USE SPACER PN 40																
65																					
80																					
100																					
125																					
150																					
200	201	278	284	26	X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
250	254	335	340		X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
300	303	395	400	28	X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
350	333	450	457	32	X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
400	382	505	514	34	X	X	X	-	X	X	X	X	X	X	X	-	-	-	-	X	X

Created to resist. Built to last.

PASSTÜCKE PN 40

SPACER PN 40

DN	d ₁	d ₄	d ₅	b	Baulänge L / overall length L																
					Form 1 / design 1			Form 2 / design 2									Form 3 / design 3				
					10	15	20	20	25	30	40	50	60	70	80	90	60	70	80	90	100
					Grenzabmaße/ limits									Grenzabmaße/ limits							
15	13	45	50	12	X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
20	16	58	60	14	X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
25	22	68	70		X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
32	31	78	82		X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
40	37	88	92		X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
50	48	102	107	16	X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
65	64	122	127	18	X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X	-
80	76	138	142		X	X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X
100	101	162	168	20	X	X	X	X	X	X	X	X	X	-	-	-	-	X	X	X	X
125	125	188	194	22	X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
150	153	218	224	28	X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
200	201	285	290	28	X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
250	254	345	352	30	X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
300	303	410	417	34	X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
350	333	465	474	36	X	X	X	-	X	X	X	X	X	X	-	-	-	-	X	X	X
400	382	535	546	42	X	X	X	-	X	X	X	X	X	X	X	-	-	-	-	X	X